CAROLINE COUNTY SEWAGE SLUDGE UTILIZATION INSPECTION FORM-LAND APPLICATION										
Site Name: James + Wanda Lewis CR 141					Date: 5/6/13 Time In: 12: 45pm Time Out: 1: 45pm					
Location: 24790 Dukes Rd.				Cou	County: Caroline Milage: 22					
Permit #: 2010-546 -5611					Permitee: Synageo Central LIC					
Field Cond	litions: M	ioist		۰É	cloudy N	E Winds 5-11	omph			
OPERATIO	ONS			YES NO	NA OPI	ERATIO		103	YES NO NA	
There is a valid Permit/NMP.				√			oration rates ar	e adequate.		
Operation is within there permitted area.					18. Application method is approved.					
Application areas are clearly marked.					19. Sludge is spread by end of work day.					
5000 MCM ■ 10000 MCM MCM MCM MCM MCM MCM MCM MCM MCM					20. Spreading is even.			וער ר ר		
4. Auger borings were taken.										
5. Groundwater buffer is adequate.				[V]					., .	
6. Bedrock buffer is adequate.					22. Liming/pH requirements are met.					
7. Buffer zones are marked and maintained.					23. Field and weather conditions are adequate. 24. Transfer and handling of sludge is within					
a. Potable wells					permitted or approved areas.					
b. Non-potable wells				IV I	25. Trucks are cleaned, if needed.					
c. Streams					26. Dragout of dirt or sludge is prevented or cleaned up promptly.					
d. Public roads					27. Transportation requirements are met.					
e. Property lines					Required records are kept on site.				VLL	
f. Off-site dwellings					Odors are controlled adequately.					
g. On-site dwellings					30. Rate applied is within the approved rate.					
h. Drainage ditches					31. Liquid sludge restrictions are met.					
4. Bedrock outcrops				, ,	32. Seasonal restrictions are met.					
j. Tidal waters, tidal wetlands					33. Frozen ground restrictions are met.					
k. Others, as required by permit					34. Sludge sources are permitted.				,	
8. Excessive slopes are avoided.					35 Other powelt conditions are mat					
9. Restricted solls are avoided.				V	POST-OPERATIONAL YES NO NA					
 Swales, gullies, water channels, and ponded water are avoided. 					36. Odors and nuisances are controlled.					
11. Forage grasses are cropped or grazed.				F.	37. Sludge is adequately incorporated.					
12. Sediment control is adequate.					38. Grazing restrictions are met.					
13. Public access is controlled.										
14. Equipment is adequate.					40. Runoff is prevented or controlled.					
15. Incorporation method is approved.					41. Proper crop is planted or growing.					
16. Incorporation is done on the contour.										
FIELD #	USABLE ACRES	INTENDED CROP	SLUDGE SOURCE TREATMENT MET	10.1000111111111111	, <u>နှုဂျို့</u>)ps	AMOI	JNT APPLIED (wt)	RATE APPLIED (wt/ac)	PERMITTED RATE (dt/ac)	
.3	44	Corn	Cedaruille Mix (AA,		19.5	315	Nowtainsp.	1501h N/ac	6,600 B. N	
				THE I ININ		12.10.0	P.V. CAINSD.		W) COUTINE, N	
Comments/Compliance assistance items:										
INSPECTOR						PERMITTEE'S BEPRESENTATIVE				
Dinc Lo, REHS/RS						(D) Brond				
Henry, Darian Inspecting Sanitarian 410-479-8045						Name: Chris Breating Title: Tah Services Phone:				
		A CONTRACTOR OF THE STATE OF TH	- Telephone and the second	Fittle: Tal Services Phone: Phone:						
					1.2		VIA LES			